

CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

3'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 4.4		41 = 180.4		81 = 356.4		121 = 532.4		161 = 708.4	
2 = 8.8		42 = 184.8		82 = 360.8		122 = 536.8		162 = 712.8	
3 = 13.2		43 = 189.2		83 = 365.2		123 = 541.2		163 = 717.2	
4 = 17.6		44 = 193.6		84 = 369.6		124 = 545.6		164 = 721.6	
5 = 22.0		45 = 198.0		85 = 374.0		125 = 550.0		165 = 726.0	
6 = 26.4		46 = 202.4		86 = 378.4		126 = 554.4		166 = 730.4	
7 = 30.8		47 = 206.8		87 = 382.8		127 = 558.8		167 = 734.8	
8 = 35.2		48 = 211.2		88 = 387.2		128 = 563.2		168 = 739.2	
9 = 39.6		49 = 215.6		89 = 391.6		129 = 567.6		169 = 743.6	
10 = 44.0		50 = 220.0		90 = 396.0		130 = 572.0		170 = 748.0	
11 = 48.4		51 = 224.4		91 = 400.4		131 = 576.4		171 = 752.4	
12 = 52.8		52 = 228.8		92 = 404.8		132 = 580.8		172 = 756.8	
13 = 57.2		53 = 233.2		93 = 409.2		133 = 585.2		173 = 761.2	
14 = 61.6		54 = 237.6		94 = 413.6		134 = 589.6		174 = 765.6	
15 = 66.0		55 = 242.0		95 = 418.0		135 = 594.0		175 = 770.0	
16 = 70.4		56 = 246.4		96 = 422.4		136 = 598.4		176 = 774.4	
17 = 74.8		57 = 250.8		97 = 426.8		137 = 602.8		177 = 778.8	
18 = 79.2		58 = 255.2		98 = 431.2		138 = 607.2		178 = 783.2	
19 = 83.6		59 = 259.6		99 = 435.6		139 = 611.6		179 = 787.6	
20 = 88.0		60 = 264.0		100 = 440.0		140 = 616.0		180 = 792.0	
21 = 92.4		61 = 268.4		101 = 444.4		141 = 620.4		181 = 796.4	
22 = 96.8		62 = 272.8		102 = 448.8		142 = 624.8		182 = 800.8	
23 = 101.2		63 = 277.2		103 = 453.2		143 = 629.2		183 = 805.2	
24 = 105.6		64 = 281.6		104 = 457.6		144 = 633.6		184 = 809.6	
25 = 110.0		65 = 286.0		105 = 462.0		145 = 638.0		185 = 814.0	
26 = 114.4		66 = 290.4		106 = 466.4		146 = 642.4		186 = 818.4	
27 = 118.8		67 = 294.8		107 = 470.8		147 = 646.8		187 = 822.8	
28 = 123.2		68 = 299.2		108 = 475.2		148 = 651.2		188 = 827.2	
29 = 127.6		69 = 303.6		109 = 479.6		149 = 655.6		189 = 831.6	
30 = 132.0		70 = 308.0		110 = 484.0		150 = 660.0		190 = 836.0	
31 = 136.4		71 = 312.4		111 = 488.4		151 = 664.4		191 = 840.4	
32 = 140.8		72 = 316.8		112 = 492.8		152 = 668.8		192 = 844.8	
33 = 145.2		73 = 321.2		113 = 497.2		153 = 673.2		193 = 849.2	
34 = 149.6		74 = 325.6		114 = 501.6		154 = 677.6		194 = 853.6	
35 = 154.0		75 = 330.0		115 = 506.0		155 = 682.0		195 = 858.0	
36 = 158.4		76 = 334.4		116 = 510.4		156 = 686.4		196 = 862.4	
37 = 162.8		77 = 338.8		117 = 514.8		157 = 690.8		197 = 866.8	
38 = 167.2		78 = 343.2		118 = 519.2		158 = 695.2		198 = 871.2	
39 = 171.6		79 = 347.6		119 = 523.6		159 = 699.6		199 = 875.6	
40 = 176.0		80 = 352.0		120 = 528.0		160 = 704.0		200 = 880.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

4'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 7.8		41 = 321.0		81 = 634.2		121 = 947.4		161 = 1260.6	
2 = 15.7		42 = 328.9		82 = 642.1		122 = 955.3		162 = 1268.5	
3 = 23.5		43 = 336.7		83 = 649.9		123 = 963.1		163 = 1276.3	
4 = 31.3		44 = 344.5		84 = 657.7		124 = 970.9		164 = 1284.1	
5 = 39.2		45 = 352.4		85 = 665.6		125 = 978.8		165 = 1292.0	
6 = 47.0		46 = 360.2		86 = 673.4		126 = 986.6		166 = 1299.8	
7 = 54.8		47 = 368.0		87 = 681.2		127 = 994.4		167 = 1307.6	
8 = 62.6		48 = 375.8		88 = 689.0		128 = 1002.2		168 = 1315.4	
9 = 70.5		49 = 383.7		89 = 696.9		129 = 1010.1		169 = 1323.3	
10 = 78.3		50 = 391.5		90 = 704.7		130 = 1017.9		170 = 1331.1	
11 = 86.1		51 = 399.3		91 = 712.5		131 = 1025.7		171 = 1338.9	
12 = 94.0		52 = 407.2		92 = 720.4		132 = 1033.6		172 = 1346.8	
13 = 101.8		53 = 415.0		93 = 728.2		133 = 1041.4		173 = 1354.6	
14 = 109.6		54 = 422.8		94 = 736.0		134 = 1049.2		174 = 1362.4	
15 = 117.5		55 = 430.7		95 = 743.9		135 = 1057.1		175 = 1370.3	
16 = 125.3		56 = 438.5		96 = 751.7		136 = 1064.9		176 = 1378.1	
17 = 133.1		57 = 446.3		97 = 759.5		137 = 1072.7		177 = 1385.9	
18 = 140.9		58 = 454.1		98 = 767.3		138 = 1080.5		178 = 1393.7	
19 = 148.8		59 = 462.0		99 = 775.2		139 = 1088.4		179 = 1401.6	
20 = 156.6		60 = 469.8		100 = 783.0		140 = 1096.2		180 = 1409.4	
21 = 164.4		61 = 477.6		101 = 790.8		141 = 1104.0		181 = 1417.2	
22 = 172.3		62 = 485.5		102 = 798.7		142 = 1111.9		182 = 1425.1	
23 = 180.1		63 = 493.3		103 = 806.5		143 = 1119.7		183 = 1432.9	
24 = 187.9		64 = 501.1		104 = 814.3		144 = 1127.5		184 = 1440.7	
25 = 195.8		65 = 509.0		105 = 822.2		145 = 1135.4		185 = 1448.6	
26 = 203.6		66 = 516.8		106 = 830.0		146 = 1143.2		186 = 1456.4	
27 = 211.4		67 = 524.6		107 = 837.8		147 = 1151.0		187 = 1464.2	
28 = 219.2		68 = 532.4		108 = 845.6		148 = 1158.8		188 = 1472.0	
29 = 227.1		69 = 540.3		109 = 853.5		149 = 1166.7		189 = 1479.9	
30 = 234.9		70 = 548.1		110 = 861.3		150 = 1174.5		190 = 1487.7	
31 = 242.7		71 = 555.9		111 = 869.1		151 = 1182.3		191 = 1495.5	
32 = 250.6		72 = 563.8		112 = 877.0		152 = 1190.2		192 = 1503.4	
33 = 258.4		73 = 571.6		113 = 884.8		153 = 1198.0		193 = 1511.2	
34 = 266.2		74 = 579.4		114 = 892.6		154 = 1205.8		194 = 1519.0	
35 = 274.1		75 = 587.3		115 = 900.5		155 = 1213.7		195 = 1526.9	
36 = 281.9		76 = 595.1		116 = 908.3		156 = 1221.5		196 = 1534.7	
37 = 289.7		77 = 602.9		117 = 916.1		157 = 1229.3		197 = 1542.5	
38 = 297.5		78 = 610.7		118 = 923.9		158 = 1237.1		198 = 1550.3	
39 = 305.4		79 = 618.6		119 = 931.8		159 = 1245.0		199 = 1558.2	
40 = 313.2		80 = 626.4		120 = 939.6		160 = 1252.8		200 = 1566.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

5'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 12.2		41 = 501.8		81 = 991.4		121 = 1481.0		161 = 1970.6	
2 = 24.5		42 = 514.1		82 = 1003.7		122 = 1493.3		162 = 1982.9	
3 = 36.7		43 = 526.3		83 = 1015.9		123 = 1505.5		163 = 1995.1	
4 = 49.0		44 = 538.6		84 = 1028.2		124 = 1517.8		164 = 2007.4	
5 = 61.2		45 = 550.8		85 = 1040.4		125 = 1530.0		165 = 2019.6	
6 = 73.4		46 = 563.0		86 = 1052.6		126 = 1542.2		166 = 2031.8	
7 = 85.7		47 = 575.3		87 = 1064.9		127 = 1554.5		167 = 2044.1	
8 = 97.9		48 = 587.5		88 = 1077.1		128 = 1566.7		168 = 2056.3	
9 = 110.2		49 = 599.8		89 = 1089.4		129 = 1579.0		169 = 2068.6	
10 = 122.4		50 = 612.0		90 = 1101.6		130 = 1591.2		170 = 2080.8	
11 = 134.6		51 = 624.2		91 = 1113.8		131 = 1603.4		171 = 2093.0	
12 = 146.9		52 = 636.5		92 = 1126.1		132 = 1615.7		172 = 2105.3	
13 = 159.1		53 = 648.7		93 = 1138.3		133 = 1627.9		173 = 2117.5	
14 = 171.4		54 = 661.0		94 = 1150.6		134 = 1640.2		174 = 2129.8	
15 = 183.6		55 = 673.2		95 = 1162.8		135 = 1652.4		175 = 2142.0	
16 = 195.8		56 = 685.4		96 = 1175.0		136 = 1664.6		176 = 2154.2	
17 = 208.1		57 = 697.7		97 = 1187.3		137 = 1676.9		177 = 2166.5	
18 = 220.3		58 = 709.9		98 = 1199.5		138 = 1689.1		178 = 2178.7	
19 = 232.6		59 = 722.2		99 = 1211.8		139 = 1701.4		179 = 2191.0	
20 = 244.8		60 = 734.4		100 = 1224.0		140 = 1713.6		180 = 2203.2	
21 = 257.0		61 = 746.6		101 = 1236.2		141 = 1725.8		181 = 2215.4	
22 = 269.3		62 = 758.9		102 = 1248.5		142 = 1738.1		182 = 2227.7	
23 = 281.5		63 = 771.1		103 = 1260.7		143 = 1750.3		183 = 2239.9	
24 = 293.8		64 = 783.4		104 = 1273.0		144 = 1762.6		184 = 2252.2	
25 = 306.0		65 = 795.6		105 = 1285.2		145 = 1774.8		185 = 2264.4	
26 = 318.2		66 = 807.8		106 = 1297.4		146 = 1787.0		186 = 2276.6	
27 = 330.5		67 = 820.1		107 = 1309.7		147 = 1799.3		187 = 2288.9	
28 = 342.7		68 = 832.3		108 = 1321.9		148 = 1811.5		188 = 2301.1	
29 = 355.0		69 = 844.6		109 = 1334.2		149 = 1823.8		189 = 2313.4	
30 = 367.2		70 = 856.8		110 = 1346.4		150 = 1836.0		190 = 2325.6	
31 = 379.4		71 = 869.0		111 = 1358.6		151 = 1848.2		191 = 2337.8	
32 = 391.7		72 = 881.3		112 = 1370.9		152 = 1860.5		192 = 2350.1	
33 = 403.9		73 = 893.5		113 = 1383.1		153 = 1872.7		193 = 2362.3	
34 = 416.2		74 = 905.8		114 = 1395.4		154 = 1885.0		194 = 2374.6	
35 = 428.4		75 = 918.0		115 = 1407.6		155 = 1897.2		195 = 2386.8	
36 = 440.6		76 = 930.2		116 = 1419.8		156 = 1909.4		196 = 2399.0	
37 = 452.9		77 = 942.5		117 = 1432.1		157 = 1921.7		197 = 2411.3	
38 = 465.1		78 = 954.7		118 = 1444.3		158 = 1933.9		198 = 2423.5	
39 = 477.4		79 = 967.0		119 = 1456.6		159 = 1946.2		199 = 2435.8	
40 = 489.6		80 = 979.2		120 = 1468.8		160 = 1958.4		200 = 2448.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

6'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 17.6		41 = 722.8		81 = 1428.0		121 = 2133.2		161 = 2838.4	
2 = 35.3		42 = 740.5		82 = 1445.7		122 = 2150.9		162 = 2856.1	
3 = 52.9		43 = 758.1		83 = 1463.3		123 = 2168.5		163 = 2873.7	
4 = 70.5		44 = 775.7		84 = 1480.9		124 = 2186.1		164 = 2891.3	
5 = 88.2		45 = 793.4		85 = 1498.6		125 = 2203.8		165 = 2909.0	
6 = 105.8		46 = 811.0		86 = 1516.2		126 = 2221.4		166 = 2926.6	
7 = 123.4		47 = 828.6		87 = 1533.8		127 = 2239.0		167 = 2944.2	
8 = 141.0		48 = 846.2		88 = 1551.4		128 = 2256.6		168 = 2961.8	
9 = 158.7		49 = 863.9		89 = 1569.1		129 = 2274.3		169 = 2979.5	
10 = 176.3		50 = 881.5		90 = 1586.7		130 = 2291.9		170 = 2997.1	
11 = 193.9		51 = 899.1		91 = 1604.3		131 = 2309.5		171 = 3014.7	
12 = 211.6		52 = 916.8		92 = 1622.0		132 = 2327.2		172 = 3032.4	
13 = 229.2		53 = 934.4		93 = 1639.6		133 = 2344.8		173 = 3050.0	
14 = 246.8		54 = 952.0		94 = 1657.2		134 = 2362.4		174 = 3067.6	
15 = 264.5		55 = 969.7		95 = 1674.9		135 = 2380.1		175 = 3085.3	
16 = 282.1		56 = 987.3		96 = 1692.5		136 = 2397.7		176 = 3102.9	
17 = 299.7		57 = 1004.9		97 = 1710.1		137 = 2415.3		177 = 3120.5	
18 = 317.3		58 = 1022.5		98 = 1727.7		138 = 2432.9		178 = 3138.1	
19 = 335.0		59 = 1040.2		99 = 1745.4		139 = 2450.6		179 = 3155.8	
20 = 352.6		60 = 1057.8		100 = 1763.0		140 = 2468.2		180 = 3173.4	
21 = 370.2		61 = 1075.4		101 = 1780.6		141 = 2485.8		181 = 3191.0	
22 = 387.9		62 = 1093.1		102 = 1798.3		142 = 2503.5		182 = 3208.7	
23 = 405.5		63 = 1110.7		103 = 1815.9		143 = 2521.1		183 = 3226.3	
24 = 423.1		64 = 1128.3		104 = 1833.5		144 = 2538.7		184 = 3243.9	
25 = 440.8		65 = 1146.0		105 = 1851.2		145 = 2556.4		185 = 3261.6	
26 = 458.4		66 = 1163.6		106 = 1868.8		146 = 2574.0		186 = 3279.2	
27 = 476.0		67 = 1181.2		107 = 1886.4		147 = 2591.6		187 = 3296.8	
28 = 493.6		68 = 1198.8		108 = 1904.0		148 = 2609.2		188 = 3314.4	
29 = 511.3		69 = 1216.5		109 = 1921.7		149 = 2626.9		189 = 3332.1	
30 = 528.9		70 = 1234.1		110 = 1939.3		150 = 2644.5		190 = 3349.7	
31 = 546.5		71 = 1251.7		111 = 1956.9		151 = 2662.1		191 = 3367.3	
32 = 564.2		72 = 1269.4		112 = 1974.6		152 = 2679.8		192 = 3385.0	
33 = 581.8		73 = 1287.0		113 = 1992.2		153 = 2697.4		193 = 3402.6	
34 = 599.4		74 = 1304.6		114 = 2009.8		154 = 2715.0		194 = 3420.2	
35 = 617.1		75 = 1322.3		115 = 2027.5		155 = 2732.7		195 = 3437.9	
36 = 634.7		76 = 1339.9		116 = 2045.1		156 = 2750.3		196 = 3455.5	
37 = 652.3		77 = 1357.5		117 = 2062.7		157 = 2767.9		197 = 3473.1	
38 = 669.9		78 = 1375.1		118 = 2080.3		158 = 2785.5		198 = 3490.7	
39 = 687.6		79 = 1392.8		119 = 2098.0		159 = 2803.2		199 = 3508.4	
40 = 705.2		80 = 1410.4		120 = 2115.6		160 = 2820.8		200 = 3526.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

7'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 24.0		41 = 983.6		81 = 1943.2		121 = 2902.8		161 = 3862.4	
2 = 48.0		42 = 1007.6		82 = 1967.2		122 = 2926.8		162 = 3886.4	
3 = 72.0		43 = 1031.6		83 = 1991.2		123 = 2950.8		163 = 3910.4	
4 = 96.0		44 = 1055.6		84 = 2015.2		124 = 2974.8		164 = 3934.4	
5 = 120.0		45 = 1079.6		85 = 2039.2		125 = 2998.8		165 = 3958.4	
6 = 143.9		46 = 1103.5		86 = 2063.1		126 = 3022.7		166 = 3982.3	
7 = 167.9		47 = 1127.5		87 = 2087.1		127 = 3046.7		167 = 4006.3	
8 = 191.9		48 = 1151.5		88 = 2111.1		128 = 3070.7		168 = 4030.3	
9 = 215.9		49 = 1175.5		89 = 2135.1		129 = 3094.7		169 = 4054.3	
10 = 239.9		50 = 1199.5		90 = 2159.1		130 = 3118.7		170 = 4078.3	
11 = 263.9		51 = 1223.5		91 = 2183.1		131 = 3142.7		171 = 4102.3	
12 = 287.9		52 = 1247.5		92 = 2207.1		132 = 3166.7		172 = 4126.3	
13 = 311.9		53 = 1271.5		93 = 2231.1		133 = 3190.7		173 = 4150.3	
14 = 335.9		54 = 1295.5		94 = 2255.1		134 = 3214.7		174 = 4174.3	
15 = 359.9		55 = 1319.5		95 = 2279.1		135 = 3238.7		175 = 4198.3	
16 = 383.8		56 = 1343.4		96 = 2303.0		136 = 3262.6		176 = 4222.2	
17 = 407.8		57 = 1367.4		97 = 2327.0		137 = 3286.6		177 = 4246.2	
18 = 431.8		58 = 1391.4		98 = 2351.0		138 = 3310.6		178 = 4270.2	
19 = 455.8		59 = 1415.4		99 = 2375.0		139 = 3334.6		179 = 4294.2	
20 = 479.8		60 = 1439.4		100 = 2399.0		140 = 3358.6		180 = 4318.2	
21 = 503.8		61 = 1463.4		101 = 2423.0		141 = 3382.6		181 = 4342.2	
22 = 527.8		62 = 1487.4		102 = 2447.0		142 = 3406.6		182 = 4366.2	
23 = 551.8		63 = 1511.4		103 = 2471.0		143 = 3430.6		183 = 4390.2	
24 = 575.8		64 = 1535.4		104 = 2495.0		144 = 3454.6		184 = 4414.2	
25 = 599.8		65 = 1559.4		105 = 2519.0		145 = 3478.6		185 = 4438.2	
26 = 623.7		66 = 1583.3		106 = 2542.9		146 = 3502.5		186 = 4462.1	
27 = 647.7		67 = 1607.3		107 = 2566.9		147 = 3526.5		187 = 4486.1	
28 = 671.7		68 = 1631.3		108 = 2590.9		148 = 3550.5		188 = 4510.1	
29 = 695.7		69 = 1655.3		109 = 2614.9		149 = 3574.5		189 = 4534.1	
30 = 719.7		70 = 1679.3		110 = 2638.9		150 = 3598.5		190 = 4558.1	
31 = 743.7		71 = 1703.3		111 = 2662.9		151 = 3622.5		191 = 4582.1	
32 = 767.7		72 = 1727.3		112 = 2686.9		152 = 3646.5		192 = 4606.1	
33 = 791.7		73 = 1751.3		113 = 2710.9		153 = 3670.5		193 = 4630.1	
34 = 815.7		74 = 1775.3		114 = 2734.9		154 = 3694.5		194 = 4654.1	
35 = 839.7		75 = 1799.3		115 = 2758.9		155 = 3718.5		195 = 4678.1	
36 = 863.6		76 = 1823.2		116 = 2782.8		156 = 3742.4		196 = 4702.0	
37 = 887.6		77 = 1847.2		117 = 2806.8		157 = 3766.4		197 = 4726.0	
38 = 911.6		78 = 1871.2		118 = 2830.8		158 = 3790.4		198 = 4750.0	
39 = 935.6		79 = 1895.2		119 = 2854.8		159 = 3814.4		199 = 4774.0	
40 = 959.6		80 = 1919.2		120 = 2878.8		160 = 3838.4		200 = 4798.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

8'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 31.3		41 = 1284.5		81 = 2537.7		121 = 3790.9		161 = 5044.1	
2 = 62.7		42 = 1315.9		82 = 2569.1		122 = 3822.3		162 = 5075.5	
3 = 94.0		43 = 1347.2		83 = 2600.4		123 = 3853.6		163 = 5106.8	
4 = 125.3		44 = 1378.5		84 = 2631.7		124 = 3884.9		164 = 5138.1	
5 = 156.7		45 = 1409.9		85 = 2663.1		125 = 3916.3		165 = 5169.5	
6 = 188.0		46 = 1441.2		86 = 2694.4		126 = 3947.6		166 = 5200.8	
7 = 219.3		47 = 1472.5		87 = 2725.7		127 = 3978.9		167 = 5232.1	
8 = 250.6		48 = 1503.8		88 = 2757.0		128 = 4010.2		168 = 5263.4	
9 = 282.0		49 = 1535.2		89 = 2788.4		129 = 4041.6		169 = 5294.8	
10 = 313.3		50 = 1566.5		90 = 2819.7		130 = 4072.9		170 = 5326.1	
11 = 344.6		51 = 1597.8		91 = 2851.0		131 = 4104.2		171 = 5357.4	
12 = 376.0		52 = 1629.2		92 = 2882.4		132 = 4135.6		172 = 5388.8	
13 = 407.3		53 = 1660.5		93 = 2913.7		133 = 4166.9		173 = 5420.1	
14 = 438.6		54 = 1691.8		94 = 2945.0		134 = 4198.2		174 = 5451.4	
15 = 470.0		55 = 1723.2		95 = 2976.4		135 = 4229.6		175 = 5482.8	
16 = 501.3		56 = 1754.5		96 = 3007.7		136 = 4260.9		176 = 5514.1	
17 = 532.6		57 = 1785.8		97 = 3039.0		137 = 4292.2		177 = 5545.4	
18 = 563.9		58 = 1817.1		98 = 3070.3		138 = 4323.5		178 = 5576.7	
19 = 595.3		59 = 1848.5		99 = 3101.7		139 = 4354.9		179 = 5608.1	
20 = 626.6		60 = 1879.8		100 = 3133.0		140 = 4386.2		180 = 5639.4	
21 = 657.9		61 = 1911.1		101 = 3164.3		141 = 4417.5		181 = 5670.7	
22 = 689.3		62 = 1942.5		102 = 3195.7		142 = 4448.9		182 = 5702.1	
23 = 720.6		63 = 1973.8		103 = 3227.0		143 = 4480.2		183 = 5733.4	
24 = 751.9		64 = 2005.1		104 = 3258.3		144 = 4511.5		184 = 5764.7	
25 = 783.3		65 = 2036.5		105 = 3289.7		145 = 4542.9		185 = 5796.1	
26 = 814.6		66 = 2067.8		106 = 3321.0		146 = 4574.2		186 = 5827.4	
27 = 845.9		67 = 2099.1		107 = 3352.3		147 = 4605.5		187 = 5858.7	
28 = 877.2		68 = 2130.4		108 = 3383.6		148 = 4636.8		188 = 5890.0	
29 = 908.6		69 = 2161.8		109 = 3415.0		149 = 4668.2		189 = 5921.4	
30 = 939.9		70 = 2193.1		110 = 3446.3		150 = 4699.5		190 = 5952.7	
31 = 971.2		71 = 2224.4		111 = 3477.6		151 = 4730.8		191 = 5984.0	
32 = 1002.6		72 = 2255.8		112 = 3509.0		152 = 4762.2		192 = 6015.4	
33 = 1033.9		73 = 2287.1		113 = 3540.3		153 = 4793.5		193 = 6046.7	
34 = 1065.2		74 = 2318.4		114 = 3571.6		154 = 4824.8		194 = 6078.0	
35 = 1096.6		75 = 2349.8		115 = 3603.0		155 = 4856.2		195 = 6109.4	
36 = 1127.9		76 = 2381.1		116 = 3634.3		156 = 4887.5		196 = 6140.7	
37 = 1159.2		77 = 2412.4		117 = 3665.6		157 = 4918.8		197 = 6172.0	
38 = 1190.5		78 = 2443.7		118 = 3696.9		158 = 4950.1		198 = 6203.3	
39 = 1221.9		79 = 2475.1		119 = 3728.3		159 = 4981.5		199 = 6234.7	
40 = 1253.2		80 = 2506.4		120 = 3759.6		160 = 5012.8		200 = 6266.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

9'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 39.7		41 = 1626.1		81 = 3212.5		121 = 4798.9		161 = 6385.3	
2 = 79.3		42 = 1665.7		82 = 3252.1		122 = 4838.5		162 = 6424.9	
3 = 119.0		43 = 1705.4		83 = 3291.8		123 = 4878.2		163 = 6464.6	
4 = 158.6		44 = 1745.0		84 = 3331.4		124 = 4917.8		164 = 6504.2	
5 = 198.3		45 = 1784.7		85 = 3371.1		125 = 4957.5		165 = 6543.9	
6 = 238.0		46 = 1824.4		86 = 3410.8		126 = 4997.2		166 = 6583.6	
7 = 277.6		47 = 1864.0		87 = 3450.4		127 = 5036.8		167 = 6623.2	
8 = 317.3		48 = 1903.7		88 = 3490.1		128 = 5076.5		168 = 6662.9	
9 = 356.9		49 = 1943.3		89 = 3529.7		129 = 5116.1		169 = 6702.5	
10 = 396.6		50 = 1983.0		90 = 3569.4		130 = 5155.8		170 = 6742.2	
11 = 436.3		51 = 2022.7		91 = 3609.1		131 = 5195.5		171 = 6781.9	
12 = 475.9		52 = 2062.3		92 = 3648.7		132 = 5235.1		172 = 6821.5	
13 = 515.6		53 = 2102.0		93 = 3688.4		133 = 5274.8		173 = 6861.2	
14 = 555.2		54 = 2141.6		94 = 3728.0		134 = 5314.4		174 = 6900.8	
15 = 594.9		55 = 2181.3		95 = 3767.7		135 = 5354.1		175 = 6940.5	
16 = 634.6		56 = 2221.0		96 = 3807.4		136 = 5393.8		176 = 6980.2	
17 = 674.2		57 = 2260.6		97 = 3847.0		137 = 5433.4		177 = 7019.8	
18 = 713.9		58 = 2300.3		98 = 3886.7		138 = 5473.1		178 = 7059.5	
19 = 753.5		59 = 2339.9		99 = 3926.3		139 = 5512.7		179 = 7099.1	
20 = 793.2		60 = 2379.6		100 = 3966.0		140 = 5552.4		180 = 7138.8	
21 = 832.9		61 = 2419.3		101 = 4005.7		141 = 5592.1		181 = 7178.5	
22 = 872.5		62 = 2458.9		102 = 4045.3		142 = 5631.7		182 = 7218.1	
23 = 912.2		63 = 2498.6		103 = 4085.0		143 = 5671.4		183 = 7257.8	
24 = 951.8		64 = 2538.2		104 = 4124.6		144 = 5711.0		184 = 7297.4	
25 = 991.5		65 = 2577.9		105 = 4164.3		145 = 5750.7		185 = 7337.1	
26 = 1031.2		66 = 2617.6		106 = 4204.0		146 = 5790.4		186 = 7376.8	
27 = 1070.8		67 = 2657.2		107 = 4243.6		147 = 5830.0		187 = 7416.4	
28 = 1110.5		68 = 2696.9		108 = 4283.3		148 = 5869.7		188 = 7456.1	
29 = 1150.1		69 = 2736.5		109 = 4322.9		149 = 5909.3		189 = 7495.7	
30 = 1189.8		70 = 2776.2		110 = 4362.6		150 = 5949.0		190 = 7535.4	
31 = 1229.5		71 = 2815.9		111 = 4402.3		151 = 5988.7		191 = 7575.1	
32 = 1269.1		72 = 2855.5		112 = 4441.9		152 = 6028.3		192 = 7614.7	
33 = 1308.8		73 = 2895.2		113 = 4481.6		153 = 6068.0		193 = 7654.4	
34 = 1348.4		74 = 2934.8		114 = 4521.2		154 = 6107.6		194 = 7694.0	
35 = 1388.1		75 = 2974.5		115 = 4560.9		155 = 6147.3		195 = 7733.7	
36 = 1427.8		76 = 3014.2		116 = 4600.6		156 = 6187.0		196 = 7773.4	
37 = 1467.4		77 = 3053.8		117 = 4640.2		157 = 6226.6		197 = 7813.0	
38 = 1507.1		78 = 3093.5		118 = 4679.9		158 = 6266.3		198 = 7852.7	
39 = 1546.7		79 = 3133.1		119 = 4719.5		159 = 6305.9		199 = 7892.3	
40 = 1586.4		80 = 3172.8		120 = 4759.2		160 = 6345.6		200 = 7932.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks
10'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 49.0		41 = 2010.6		81 = 3972.2		121 = 5933.8		161 = 7895.4	
2 = 98.1		42 = 2059.7		82 = 4021.3		122 = 5982.9		162 = 7944.5	
3 = 147.1		43 = 2108.7		83 = 4070.3		123 = 6031.9		163 = 7993.5	
4 = 196.2		44 = 2157.8		84 = 4119.4		124 = 6081.0		164 = 8042.6	
5 = 245.2		45 = 2206.8		85 = 4168.4		125 = 6130.0		165 = 8091.6	
6 = 294.2		46 = 2255.8		86 = 4217.4		126 = 6179.0		166 = 8140.6	
7 = 343.3		47 = 2304.9		87 = 4266.5		127 = 6228.1		167 = 8189.7	
8 = 392.3		48 = 2353.9		88 = 4315.5		128 = 6277.1		168 = 8238.7	
9 = 441.4		49 = 2403.0		89 = 4364.6		129 = 6326.2		169 = 8287.8	
10 = 490.4		50 = 2452.0		90 = 4413.6		130 = 6375.2		170 = 8336.8	
11 = 539.4		51 = 2501.0		91 = 4462.6		131 = 6424.2		171 = 8385.8	
12 = 588.5		52 = 2550.1		92 = 4511.7		132 = 6473.3		172 = 8434.9	
13 = 637.5		53 = 2599.1		93 = 4560.7		133 = 6522.3		173 = 8483.9	
14 = 686.6		54 = 2648.2		94 = 4609.8		134 = 6571.4		174 = 8533.0	
15 = 735.6		55 = 2697.2		95 = 4658.8		135 = 6620.4		175 = 8582.0	
16 = 784.6		56 = 2746.2		96 = 4707.8		136 = 6669.4		176 = 8631.0	
17 = 833.7		57 = 2795.3		97 = 4756.9		137 = 6718.5		177 = 8680.1	
18 = 882.7		58 = 2844.3		98 = 4805.9		138 = 6767.5		178 = 8729.1	
19 = 931.8		59 = 2893.4		99 = 4855.0		139 = 6816.6		179 = 8778.2	
20 = 980.8		60 = 2942.4		100 = 4904.0		140 = 6865.6		180 = 8827.2	
21 = 1029.8		61 = 2991.4		101 = 4953.0		141 = 6914.6		181 = 8876.2	
22 = 1078.9		62 = 3040.5		102 = 5002.1		142 = 6963.7		182 = 8925.3	
23 = 1127.9		63 = 3089.5		103 = 5051.1		143 = 7012.7		183 = 8974.3	
24 = 1177.0		64 = 3138.6		104 = 5100.2		144 = 7061.8		184 = 9023.4	
25 = 1226.0		65 = 3187.6		105 = 5149.2		145 = 7110.8		185 = 9072.4	
26 = 1275.0		66 = 3236.6		106 = 5198.2		146 = 7159.8		186 = 9121.4	
27 = 1324.1		67 = 3285.7		107 = 5247.3		147 = 7208.9		187 = 9170.5	
28 = 1373.1		68 = 3334.7		108 = 5296.3		148 = 7257.9		188 = 9219.5	
29 = 1422.2		69 = 3383.8		109 = 5345.4		149 = 7307.0		189 = 9268.6	
30 = 1471.2		70 = 3432.8		110 = 5394.4		150 = 7356.0		190 = 9317.6	
31 = 1520.2		71 = 3481.8		111 = 5443.4		151 = 7405.0		191 = 9366.6	
32 = 1569.3		72 = 3530.9		112 = 5492.5		152 = 7454.1		192 = 9415.7	
33 = 1618.3		73 = 3579.9		113 = 5541.5		153 = 7503.1		193 = 9464.7	
34 = 1667.4		74 = 3629.0		114 = 5590.6		154 = 7552.2		194 = 9513.8	
35 = 1716.4		75 = 3678.0		115 = 5639.6		155 = 7601.2		195 = 9562.8	
36 = 1765.4		76 = 3727.0		116 = 5688.6		156 = 7650.2		196 = 9611.8	
37 = 1814.5		77 = 3776.1		117 = 5737.7		157 = 7699.3		197 = 9660.9	
38 = 1863.5		78 = 3825.1		118 = 5786.7		158 = 7748.3		198 = 9709.9	
39 = 1912.6		79 = 3874.2		119 = 5835.8		159 = 7797.4		199 = 9759.0	
40 = 1961.6		80 = 3923.2		120 = 5884.8		160 = 7846.4		200 = 9808.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

11'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 59.2		41 = 2428.8		81 = 4798.4		121 = 7168.0		161 = 9537.6	
2 = 118.5		42 = 2488.1		82 = 4857.7		122 = 7227.3		162 = 9596.9	
3 = 177.7		43 = 2547.3		83 = 4916.9		123 = 7286.5		163 = 9656.1	
4 = 237.0		44 = 2606.6		84 = 4976.2		124 = 7345.8		164 = 9715.4	
5 = 296.2		45 = 2665.8		85 = 5035.4		125 = 7405.0		165 = 9774.6	
6 = 355.4		46 = 2725.0		86 = 5094.6		126 = 7464.2		166 = 9833.8	
7 = 414.7		47 = 2784.3		87 = 5153.9		127 = 7523.5		167 = 9893.1	
8 = 473.9		48 = 2843.5		88 = 5213.1		128 = 7582.7		168 = 9952.3	
9 = 533.2		49 = 2902.8		89 = 5272.4		129 = 7642.0		169 = 10011.6	
10 = 592.4		50 = 2962.0		90 = 5331.6		130 = 7701.2		170 = 10070.8	
11 = 651.6		51 = 3021.2		91 = 5390.8		131 = 7760.4		171 = 10130.0	
12 = 710.9		52 = 3080.5		92 = 5450.1		132 = 7819.7		172 = 10189.3	
13 = 770.1		53 = 3139.7		93 = 5509.3		133 = 7878.9		173 = 10248.5	
14 = 829.4		54 = 3199.0		94 = 5568.6		134 = 7938.2		174 = 10307.8	
15 = 888.6		55 = 3258.2		95 = 5627.8		135 = 7997.4		175 = 10367.0	
16 = 947.8		56 = 3317.4		96 = 5687.0		136 = 8056.6		176 = 10426.2	
17 = 1007.1		57 = 3376.7		97 = 5746.3		137 = 8115.9		177 = 10485.5	
18 = 1066.3		58 = 3435.9		98 = 5805.5		138 = 8175.1		178 = 10544.7	
19 = 1125.6		59 = 3495.2		99 = 5864.8		139 = 8234.4		179 = 10604.0	
20 = 1184.8		60 = 3554.4		100 = 5924.0		140 = 8293.6		180 = 10663.2	
21 = 1244.0		61 = 3613.6		101 = 5983.2		141 = 8352.8		181 = 10722.4	
22 = 1303.3		62 = 3672.9		102 = 6042.5		142 = 8412.1		182 = 10781.7	
23 = 1362.5		63 = 3732.1		103 = 6101.7		143 = 8471.3		183 = 10840.9	
24 = 1421.8		64 = 3791.4		104 = 6161.0		144 = 8530.6		184 = 10900.2	
25 = 1481.0		65 = 3850.6		105 = 6220.2		145 = 8589.8		185 = 10959.4	
26 = 1540.2		66 = 3909.8		106 = 6279.4		146 = 8649.0		186 = 11018.6	
27 = 1599.5		67 = 3969.1		107 = 6338.7		147 = 8708.3		187 = 11077.9	
28 = 1658.7		68 = 4028.3		108 = 6397.9		148 = 8767.5		188 = 11137.1	
29 = 1718.0		69 = 4087.6		109 = 6457.2		149 = 8826.8		189 = 11196.4	
30 = 1777.2		70 = 4146.8		110 = 6516.4		150 = 8886.0		190 = 11255.6	
31 = 1836.4		71 = 4206.0		111 = 6575.6		151 = 8945.2		191 = 11314.8	
32 = 1895.7		72 = 4265.3		112 = 6634.9		152 = 9004.5		192 = 11374.1	
33 = 1954.9		73 = 4324.5		113 = 6694.1		153 = 9063.7		193 = 11433.3	
34 = 2014.2		74 = 4383.8		114 = 6753.4		154 = 9123.0		194 = 11492.6	
35 = 2073.4		75 = 4443.0		115 = 6812.6		155 = 9182.2		195 = 11551.8	
36 = 2132.6		76 = 4502.2		116 = 6871.8		156 = 9241.4		196 = 11611.0	
37 = 2191.9		77 = 4561.5		117 = 6931.1		157 = 9300.7		197 = 11670.3	
38 = 2251.1		78 = 4620.7		118 = 6990.3		158 = 9359.9		198 = 11729.5	
39 = 2310.4		79 = 4680.0		119 = 7049.6		159 = 9419.2		199 = 11788.8	
40 = 2369.6		80 = 4739.2		120 = 7108.8		160 = 9478.4		200 = 11848.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks
12'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1 = 70.5		41 = 2890.5		81 = 5710.5		121 = 8530.5		161 = 11350.5	
2 = 141.0		42 = 2961.0		82 = 5781.0		122 = 8601.0		162 = 11421.0	
3 = 211.5		43 = 3031.5		83 = 5851.5		123 = 8671.5		163 = 11491.5	
4 = 282.0		44 = 3102.0		84 = 5922.0		124 = 8742.0		164 = 11562.0	
5 = 352.5		45 = 3172.5		85 = 5992.5		125 = 8812.5		165 = 11632.5	
6 = 423.0		46 = 3243.0		86 = 6063.0		126 = 8883.0		166 = 11703.0	
7 = 493.5		47 = 3313.5		87 = 6133.5		127 = 8953.5		167 = 11773.5	
8 = 564.0		48 = 3384.0		88 = 6204.0		128 = 9024.0		168 = 11844.0	
9 = 634.5		49 = 3454.5		89 = 6274.5		129 = 9094.5		169 = 11914.5	
10 = 705.0		50 = 3525.0		90 = 6345.0		130 = 9165.0		170 = 11985.0	
11 = 775.5		51 = 3595.5		91 = 6415.5		131 = 9235.5		171 = 12055.5	
12 = 846.0		52 = 3666.0		92 = 6486.0		132 = 9306.0		172 = 12126.0	
13 = 916.5		53 = 3736.5		93 = 6556.5		133 = 9376.5		173 = 12196.5	
14 = 987.0		54 = 3807.0		94 = 6627.0		134 = 9447.0		174 = 12267.0	
15 = 1057.5		55 = 3877.5		95 = 6697.5		135 = 9517.5		175 = 12337.5	
16 = 1128.0		56 = 3948.0		96 = 6768.0		136 = 9588.0		176 = 12408.0	
17 = 1198.5		57 = 4018.5		97 = 6838.5		137 = 9658.5		177 = 12478.5	
18 = 1269.0		58 = 4089.0		98 = 6909.0		138 = 9729.0		178 = 12549.0	
19 = 1339.5		59 = 4159.5		99 = 6979.5		139 = 9799.5		179 = 12619.5	
20 = 1410.0		60 = 4230.0		100 = 7050.0		140 = 9870.0		180 = 12690.0	
21 = 1480.5		61 = 4300.5		101 = 7120.5		141 = 9940.5		181 = 12760.5	
22 = 1551.0		62 = 4371.0		102 = 7191.0		142 = 10011.0		182 = 12831.0	
23 = 1621.5		63 = 4441.5		103 = 7261.5		143 = 10081.5		183 = 12901.5	
24 = 1692.0		64 = 4512.0		104 = 7332.0		144 = 10152.0		184 = 12972.0	
25 = 1762.5		65 = 4582.5		105 = 7402.5		145 = 10222.5		185 = 13042.5	
26 = 1833.0		66 = 4653.0		106 = 7473.0		146 = 10293.0		186 = 13113.0	
27 = 1903.5		67 = 4723.5		107 = 7543.5		147 = 10363.5		187 = 13183.5	
28 = 1974.0		68 = 4794.0		108 = 7614.0		148 = 10434.0		188 = 13254.0	
29 = 2044.5		69 = 4864.5		109 = 7684.5		149 = 10504.5		189 = 13324.5	
30 = 2115.0		70 = 4935.0		110 = 7755.0		150 = 10575.0		190 = 13395.0	
31 = 2185.5		71 = 5005.5		111 = 7825.5		151 = 10645.5		191 = 13465.5	
32 = 2256.0		72 = 5076.0		112 = 7896.0		152 = 10716.0		192 = 13536.0	
33 = 2326.5		73 = 5146.5		113 = 7966.5		153 = 10786.5		193 = 13606.5	
34 = 2397.0		74 = 5217.0		114 = 8037.0		154 = 10857.0		194 = 13677.0	
35 = 2467.5		75 = 5287.5		115 = 8107.5		155 = 10927.5		195 = 13747.5	
36 = 2538.0		76 = 5358.0		116 = 8178.0		156 = 10998.0		196 = 13818.0	
37 = 2608.5		77 = 5428.5		117 = 8248.5		157 = 11068.5		197 = 13888.5	
38 = 2679.0		78 = 5499.0		118 = 8319.0		158 = 11139.0		198 = 13959.0	
39 = 2749.5		79 = 5569.5		119 = 8389.5		159 = 11209.5		199 = 14029.5	
40 = 2820.0		80 = 5640.0		120 = 8460.0		160 = 11280.0		200 = 14100.0	

Content Courtesy of Justin Tanks LLC



CAPACITY CHART

Tank Capacity Chart Information provided by Justin Tanks

14'-0" Inside Diameter

Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)	Depth (in)	Capacity (gal)
1	= 96.0	41	= 3934.4	81	= 7772.8	121	= 11611.2	161	= 15449.6
2	= 191.9	42	= 4030.3	82	= 7868.7	122	= 11707.1	162	= 15545.5
3	= 287.9	43	= 4126.3	83	= 7964.7	123	= 11803.1	163	= 15641.5
4	= 383.8	44	= 4222.2	84	= 8060.6	124	= 11899.0	164	= 15737.4
5	= 479.8	45	= 4318.2	85	= 8156.6	125	= 11995.0	165	= 15833.4
6	= 575.8	46	= 4414.2	86	= 8252.6	126	= 12091.0	166	= 15929.4
7	= 671.7	47	= 4510.1	87	= 8348.5	127	= 12186.9	167	= 16025.3
8	= 767.7	48	= 4606.1	88	= 8444.5	128	= 12282.9	168	= 16121.3
9	= 863.6	49	= 4702.0	89	= 8540.4	129	= 12378.8	169	= 16217.2
10	= 959.6	50	= 4798.0	90	= 8636.4	130	= 12474.8	170	= 16313.2
11	= 1055.6	51	= 4894.0	91	= 8732.4	131	= 12570.8	171	= 16409.2
12	= 1151.5	52	= 4989.9	92	= 8828.3	132	= 12666.7	172	= 16505.1
13	= 1247.5	53	= 5085.9	93	= 8924.3	133	= 12762.7	173	= 16601.1
14	= 1343.4	54	= 5181.8	94	= 9020.2	134	= 12858.6	174	= 16697.0
15	= 1439.4	55	= 5277.8	95	= 9116.2	135	= 12954.6	175	= 16793.0
16	= 1535.4	56	= 5373.8	96	= 9212.2	136	= 13050.6	176	= 16889.0
17	= 1631.3	57	= 5469.7	97	= 9308.1	137	= 13146.5	177	= 16984.9
18	= 1727.3	58	= 5565.7	98	= 9404.1	138	= 13242.5	178	= 17080.9
19	= 1823.2	59	= 5661.6	99	= 9500.0	139	= 13338.4	179	= 17176.8
20	= 1919.2	60	= 5757.6	100	= 9596.0	140	= 13434.4	180	= 17272.8
21	= 2015.2	61	= 5853.6	101	= 9692.0	141	= 13530.4	181	= 17368.8
22	= 2111.1	62	= 5949.5	102	= 9787.9	142	= 13626.3	182	= 17464.7
23	= 2207.1	63	= 6045.5	103	= 9883.9	143	= 13722.3	183	= 17560.7
24	= 2303.0	64	= 6141.4	104	= 9979.8	144	= 13818.2	184	= 17656.6
25	= 2399.0	65	= 6237.4	105	= 10075.8	145	= 13914.2	185	= 17752.6
26	= 2495.0	66	= 6333.4	106	= 10171.8	146	= 14010.2	186	= 17848.6
27	= 2590.9	67	= 6429.3	107	= 10267.7	147	= 14106.1	187	= 17944.5
28	= 2686.9	68	= 6525.3	108	= 10363.7	148	= 14202.1	188	= 18040.5
29	= 2782.8	69	= 6621.2	109	= 10459.6	149	= 14298.0	189	= 18136.4
30	= 2878.8	70	= 6717.2	110	= 10555.6	150	= 14394.0	190	= 18232.4
31	= 2974.8	71	= 6813.2	111	= 10651.6	151	= 14490.0	191	= 18328.4
32	= 3070.7	72	= 6909.1	112	= 10747.5	152	= 14585.9	192	= 18424.3
33	= 3166.7	73	= 7005.1	113	= 10843.5	153	= 14681.9	193	= 18520.3
34	= 3262.6	74	= 7101.0	114	= 10939.4	154	= 14777.8	194	= 18616.2
35	= 3358.6	75	= 7197.0	115	= 11035.4	155	= 14873.8	195	= 18712.2
36	= 3454.6	76	= 7293.0	116	= 11131.4	156	= 14969.8	196	= 18808.2
37	= 3550.5	77	= 7388.9	117	= 11227.3	157	= 15065.7	197	= 18904.1
38	= 3646.5	78	= 7484.9	118	= 11323.3	158	= 15161.7	198	= 19000.1
39	= 3742.4	79	= 7580.8	119	= 11419.2	159	= 15257.6	199	= 19096.0
40	= 3838.4	80	= 7676.8	120	= 11515.2	160	= 15353.6	200	= 19192.0

Content Courtesy of Justin Tanks LLC

